

SAMSUNG

890V SERIES HOSPITALITY TVs

55" Class LED 65" Class LED

HG55NC890VF HG65NC890VF

CURVED DISPLAY WITH SMART TV 2.0. THE NEW SHAPE OF PREMIUM



HOSPITALITY TV SALES:

1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business samsung.com/hospitality

FOLLOW US:



youtube.com/samsungbizusa



@SamsungBizUSA

KEY FEATURES

Curved LED Panel



The large, curved panel of the 890V Series hospitality TVs delivers a premium, immersive experience. With direct-lit LED technology providing a wide, brilliant panorama, guests will feel drawn into the picture. It's a truly captivating, engaging experience in every room.

Samsung LYNK™ SINC 3.0 Interactive Content Management System



This IP-based content management solution delivers enhanced HTML and rich text with protocols to communicate between Samsung Interactive TVs and hotel property management software. Facility managers can completely customize the in-room entertainment by unlocking rich content from the Samsung Hospitality Widget Library (Facebook, Twitter, AccuWeather, Google Maps™).

H-Browser Compatibility



The Samsung 890V Series offers H-Browser through partnerships with certified system integrators providing guests with a premium interactive experience. Built on the HTML5 standard with Flash® support, H-Browser is a true Smart TV solution that features both free and video on demand (VOD) content. It is able to interface directly with the head end without the use of a set top box.

Smart TV 2.0



Experience the next generation of our groundbreaking TVs with Smart Interaction, full web browsers, all-new content, all-new content services, faster processors and much more

Mobile Device Integration Using AllShare™ Cast



Samsung AllShare™ Cast lets you seamlessly share content across your DLNA-connected Samsung devices which includes WIDI without the need for a network cable or a connecting device. AllShare Cast allows screen mirroring and video streaming to enable seamless content sharing

Samsung LYNK™ REACH 3.0 Content Management Solution



The Samsung REACH 3.0 (Remote Enhanced Active Control for Hotels) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG).

CURVED SCREEN AND DYNAMIC INTERACTIVITY FOR THE ULTIMATE IMMERSIVE EXPERIENCE

Bring a new dimension to guest entertainment. With a curved screen, vibrant picture quality and a panoramic effect, the Samsung 890V Series draws guests in and makes them feel as though they're part of the picture. Full HD and Micro Dimming Pro deliver perfect contrast, depth and brightness levels, while the Quad Core processor enables faster web browsing and multi-tasking. With Smart TV 2.0, guests can stream movies and TV shows, stay connected with Facebook, Twitter and Skype, and push content from their mobile devices to the big screen. Add in remote content management for cost savings and greater efficiency, and the Samsung 890V Series are hospitality TVs in which you'll be completely immersed.

Samsung 890V Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier guest satisfaction, while making your job easier.

HOSPITALITY FEATURES

Anti-Theft Battery Cover

Battery door is secured, ensuring batteries remain in the remote controller.

Channel Remapping

Allows the hotelier to change channel and TV source to a different channel.

Clock On Timer and Alarm Key

Allows the guest to program the TV to turn on as a wake-up alarm.

Closed Captioning

A text display of all audio content, including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

Hotel Channel List

Guest master channel listing of program content. This will display content in analog or HD.

Hotel Logo Display with Time Out Setting

Display hotel logo bitmap files as a greeting startup display.

Hotel Mode Plug & Play

Interactive stand-alone mode available.

Lockout Controls

The hotelier can enable front panel and menu display lock-outs.

OSD Language

Choose English/French/Spanish.

Picture-in-Picture

Display one program while another is being displayed on the full TV screen at the same time.

Power On Status Setting

Settings include power always on, last option or standby.

Multi-Code Remote

Eliminates interference when two or more TVs are used in close proximity to each other.

Samsung LYNK™ SINC 3.0 Interactive Content Management System

IP-based solution designed to provide enhanced HTML and rich text, dynamic content management capabilities. Offers EPG (Electronic Program Guide), Weather API, Flight Information and Real Time Messaging. Incorporates use of Samsung Hospitality Widget Library (Facebook, Twitter, AccuWeather, Google Maps). For the hotelier with IP-enabled infrastructure and Samsung's Interactive TVs. The Samsung Hospitality Displays Smart Widget Solution provides you with the ability to deliver customized content to your guests via the TV screen, providing a high degree of customer satisfaction.

Samsung LYNK™ REACH 3.0 Content Management Solution

The Samsung LYNK™ REACH 3.0 (Remote Enhanced Active Control for Hotels) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Samsung REACH delivers, in a free-to-guest solution, content and information on such topics as your hotel, local and in-room dining, spa and exercise facilities, meetings and events, local attractions, and other simple guest convenience features. Property managers will be able to easily update and change information using a Windows®-based system.

Sleep Timer

Allows guest to set TV turn-off time in 30-minute intervals up to 180 minutes.

USB Cloning

A quick and easy way to copy the ideal settings off one television to others on the property. Saves time and helps provide a consistent viewing experience for all televisions.

CONNECTIONS

AllShare[™] Cast

Enjoy your favorite digital content from any of your DLNA-connected Samsung Devices. AllShare™ Cast lets you wirelessly access and share content between your Samsung devices regardless of where you are. And there's no need for any cables or connected devices. It's also equipped with cloud technology, so you can upload your favorite content to a central web storage account and access it wherever you are.

Anynet + (HDMI - CEC)

This Samsung protocol allows the user to control other HDMI devices connected to the TV display, such as DVD players, PC computers and Soundbars.

ConnectShare[™] (USB 2.0)

Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Hotel TV (RJ-12/IR Pass Through)

Allows you to connect an interactive STB/SBB (Set Top Box/Set Back Box).

Hotel TV RJ45

Connection to hotel LAN using custom H-browser or Samsung LYNK™ SINC.

Interactive Compatibility System



Remote Jack Panel (RJP) Compatibility



WiFi®

With built-in WiFi, no additional equipment is needed to connect with an existing wireless router in your hotel network and start accessing Samsung Apps or other Smart TV features.

PICTURE QUALITY AND AUDIO

2D and 3D in Full HD

Enjoying stunning full HD 1080p in both 2D and 3D models. With Samsung's 3D Convertor, turn 2D viewing into 3D for an amazing cinematic experience. Requires 3D Active Glasses to bring viewing to vivid life.

Auto Volume Limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hotel guests.

Quad Core Processor

Enahanced processing speeds allow you to perform multiple tasks at the same time with ease, such as using an app while downloading another one. It also enables faster web browsing while playing apps for TV programs that you recently opened through the Recent History feature.

Full HD 1080p, MPEG4

Samsung 55" and 65" 890V Series TVs feature Full HD. All TVs also are compatible with MPEG4

Music Mode (Input: HDMI/PC/AV/Component)

Allows audio feedback when picture is muted.

Music Mode Backlight On/Off

Shows a background display.

Premium Edge-Lit Ultra-Thin LED Technology

Samsung's premium edge-lit 890V Series puts any hotel in the best light possible and delivers an unparalleled guest experience. Available in 55" and 65" picture sizes to fit in a wide range of rooms and suites, these energy-efficient flat panel TVs deliver best-in-class picture quality and value.

Samsung Soundbar Compatible

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. When you connect the Soundbar to the Samsung Hospitality Display with an HDMI cable, the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately. You can also prevent guests from changing the settings. With one single remote, guests can control both the TV and Soundbar simultaneously.

WARRANTY

2-year parts and 2-year labor warranty backed by Samsung Hospitality Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.



Samsung 890V Series Hospitality TVs






Dimensions 55" | HG55NC890XF - 1080p | Mega Contrast Ratio 4 40.22" 27.84" 55" 29.43" 1.3" 10.54" 65" | HG65NC890XF - 1080p | Mega Contrast Ratio 12.48" 56.98" 32.93" 65" 34.89" 1.38"

Connectivity

- 1. Variable Audio Out
- 2. Volume Controls
- 3. USB 2.0
- 4. Digital Audio Out
- 5. HDMI In 4 6. HDMI In 3
- 8. HDMI In 1
- 9. DVI Audio In
- 10. Audio Out
- 11. RJP (RS232)
- 12. RJ12 (Data)
- 7. HDMI In 2 (ARC) 13. Cable
 - 14. Video / AV IN / Component In
 - 15. RJ45 (LAN)





DIGITAL RIGHTS MANAGEMENT (DRM)

Pro:Idiom™ HD Content Decryption DRM (RF) Pro:Idiom

The 890V Series is equipped with Pro:Idiom™ MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your guests premium HDTV content from cable, satellite or video-on-demand services with no optional cards or

Samsung LYNK™ HD Content Decryption DRM (IP/RF)



Samsung's software-based DRM technology is integrated into the entire Samsung 2014 Hotel TV line. Samsung LYNK™ offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security. IPTV-IP LYNK available with SYNC 3.0 and H-Browser.

Verimatrix™ HD Content Decryption DRM (IP) verimatrix





SAMSUNG 890	OV SERIES HOSPITALITY TVs KEY SPECIFICATIO	NS For complete product specifications, visit samsung.com/hospitality	
Display	Model Number	HG55NC890VF	HG65NC890VF
	Backlight		Curved Edge LED
	Screen Size (Diagonal)	55"	65"
	HD/FHD	FHD	FHD
	Resolution	1920 x 1080	1920 x 1080
Video	Picture Engine		3D HyperReal Engine
	Static Contrast Ratio	4800:1	4800:1
	Response Time		6ms
	Viewing angle (Horizontal/Vertical)	178/178	178/178
	Brightness	450 cd/m²	450 cd/m²
	Micro Dimming		Micro Dimming Pro
	Wide Color Enhancer Plus		Yes
	Auto Motion Plus		240Hz
	Film Mode		Yes
Audio	Dolby		Dolby MS10
Audio	DTS Studio Sound / DNSe+		DTS Studio Sound
	DTS Premium Sound / DTS Premium Sound 5.1		DTS Premium Sound 5.1
	3D Sound		Yes
	Auto Volume Leveler		Yes
	Speaker Type	Down Firing + New Waveguide	Down Firing + New Waveguide
	Sound Output (RMS)	40W (Left:10W, Right:10W, Woofer:20W)	40W (Left:10W, Right:10W, Woofer:20W)
	Woofer Weightle Constant Output	Yes	Yes
	Variable Speaker Output	4W (Mono, 8Ω)	4W (Mono, 8Ω)
Features	Smart Hub		Yes
	Apps		Yes
	Web Browser		Yes
	Samsung SMART View		Yes
	Voice Control	Yes	Yes
	Samsung 3D		Yes
	3D Converter	Yes	Yes
	Wireless LAN Built-in	Yes	Yes
	AllShare - Contents Sharing	Yes	Yes
	AllShare - Screen Mirroring	Yes	Yes
	ConnectShare™ (USB 2.0)	Movie	Movie
	Wake On LAN	Yes	Yes
	Soft AP	Yes	Yes
	BT HID Built-in	Yes	Yes
	USB HID Support	Yes	Yes
	TV SoundConnect	Yes	Yes
	OSD Language	English, Spanish, French	English, Spanish, French
	Digital Clean View	Yes	Yes
	HDMI 1.4 3D Auto Setting	Yes	Yes
	HDMI 1.4 A / Return Ch. Support (ARC)	Yes	Yes
	Anynet+ (HDMI-CEC)	Yes	Yes
	BD Wise Plus	Yes	Yes
	Auto Channel Search	Yes	Yes
	Auto Power Off		Yes
	EPG		Yes
	Caption (Subtitle)		
	Wake-up Timer	Yes	Yes Yes
	Game Mode		Yes
	Picture-In-Picture		Yes
	Sleep Timer		Yes
Hospitality Features	Hospitality Home Menu		Yes
	Samsung LYNK TM REACH		Yes
	Samsung LYNK TM REACH Server Compatibility	Yes	Yes
	Samsung LYNKTM SINC Compatibility		Yes
			Yes
	H.Browser Compatibility Hospitality Plug&Play (Easy Set-up)		Yes
	RJ 12 / IR Pass Through		Yes
	Power on Mode		Yes Yes
	USB Cloning		
	Logo Display with Time Out Setting (BMP/Movie)	Yes V	Yes
	Welcome Message		Yes
	Music Mode (Input: PC/AV/Component/HDMI)		Yes
	Music Mode BackLight on/off		Yes
	Auto Source Mode		Yes
	Energy Saving Mode (BLU control)		Yes
	Clock Back Up Supply		Yes
	Software Clock		Yes
	Multi Code Remote Control	Yes	Yes
	Screwed Remote Battery Cover	Yes	Yes
	Smoovie Compatibility	Yes	Yes
	Sound bar compatibility	Yes	Yes
	Samsung LYNK™ DRM	Yes	Yes
	Pro:ldiom	Yes	Yes

out & Output	Model Number	HG55NC890VF	HG65NC890VF
	HDMI	4	4
	USB 2.0	1	1
	Component In (Y/Pb/Pr)	1	1
	Composite In (AV) (Side/Rear)	0/1 (1 Common Use for Component Y)	0/1 (1 Common Use for Component Y)
	Ethernet (LAN)	1	1
	Digital Audio Out (Optical) (Side/Rear)	1	1
	Audio Out (Mini Jack)	1	1
	PC/DVI Audio In (Mini Jack) (Side/Rear)	1	1
	RF In (Terrestrial/Cable input)	1	1
	RS232C	(Common Use for RJ12)	(Common Use for RJ12)
	Variable Audio Out (Side/Rear)	1	1
	Variable Audio Out Volume Control (Side/Rear)	1	1
	RJ12 for External Control (Side/Rear)	1	1
	RJP Jack (Remote Jack Pack) (Side/Rear)	1	1
System	DTV Tuner	ATSC / Clear QAM	ATSC / Clear QAM
	Analog Tuner	Yes	Yes
Design	Front Color	Black	Black
	Stand Type	C-Stand	C-Stand
ion (WxHxD)	Set Dimension with Stand (WxHxD) (mm / Inch)	1232.8 x 759.4 x 236.8 / 48.5 x 29.9 x 9.3	1451.0 x 893.7 x 307.8 / 57.1 x 35.1 x 12.1
	Set Dimension without Stand (WxHxD) (mm / Inch)	1232.8 x 713.3 x 89.8 / 48.5 x 58.1 x 3.5	1451.0 x 838.4 x 107.3 / 57.1 x 33.0 x 4.2
Dimensions	Package Dimension (WxHxD) (mm / Inch)	1367 x 843 x 232 / 53.8 x 33.2 x 9.1	1578 x 957 x 265 / 62.1 x 37.7 x 10.4
Weight	Set Weight with Stand (kg / lbs)	18.9 / 41.7	27.2 / 60.0
	Set Weight without Stand (kg / lbs)	17.4 / 8.3	24 / 53
aging Weight	Gross weight (kg / lbs)	24.4 / 53.8	34.7 / 76.5
	Dimensions (mm)	400 x 400	400 x 400
	Screw Size	M8	M8
Power	Power Supply	AC110-120V 60Hz	AC110-120V 60Hz
	Multi Voltage	AC110-220V	AC110-220V
	Power Consumption (Rated) (Watts)	135	174
	Power Consumption (Stand-by) (Watts)	Under 0.5W	Under 0.5W
	Power Consumption (Typical) (Watts)	62	71
UPC	UPC	887276048598	87276048581
Eco	Eco Mark	Energy Star v6.1	Energy Star v6.1
	Eco Sensor	Yes	Yes
Accessory	Remote Controller Model	TM1480A+TM1240	TM1480A+TM1240
	Battery (for Remote Control)	Yes	Yes
	Mini Wall Mount Support	Yes	Yes
	Vesa Wall Mount Support	Yes	Yes
	Power Cable	Yes	Yes
	Data Cable	Yes	Yes



SAMSUNG

For complete product information and accessories, visit samsung.com/business or samsung.com/hospitality Sales Support: 1-888-727-2664 or 1-866-SAM4BIZ | Follow us: 🛅 youtube.com/samsungbizusa | 💟 @SamsungBizUSA

Samsung Electronics has been named 2013 ENERGY STAR Partner of the Year in the product manufacturing category by the U.S. Environmental Protection Agency (EPA).

